

TABLE 13. Peak Weekly Catches of Fall-run Chinook Salmon, and Coho Salmon Observed at Klamath River (KR) Estuary Beach Seining Site (near Waukel Creek), Willow Creek (WC) Weir, and South Fork Trinity River (SFTR) Weir, 1984 through 1990 (nc = no comparison).

Location	Year						
	1984	1985	1986	1987	1988	1989	1990
<u>Fall-run Chinook Salmon</u>							
SFTR Weir							
Grilse	10/28	10/21	09/16	10/28	10/28	nc	12/09
Adults	10/28	10/21	09/16	10/28	10/28	<b>10/28</b>	11/18
KR Estuary							
Grilse	09/09	09/09	09/16	09/23	09/16	nc	09/30
Adults	09/09	09/02	09/16	09/23	09/16	<b>09/16</b>	09/16
WC Weir							
Grilse	09/16	09/16	09/23	09/30	10/07	nc	nc
Adults	09/16	09/16	09/23	09/30	09/23	<b>09/23</b>	<b>09/16</b>
Elapsed time (wks) SFTR Weir to KR Estuary							
Grilse	7	6	0	5	6	nc	10
Adults	7	7	0	5	6	6	9
Elapsed time (wks) SFTR Weir to WC Weir							
Grilse	6	5	-1	4	3	nc	nc
Adults	6	5	-1	4	5	5	9
<u>Coho Salmon</u>							
SFTR Weir							
Grilse	nc	11/11	nc	nc	nc	nc	nc
Adults	nc	11/11	nc	nc	nc	nc	<b>01/28</b>
WC Weir							
Grilse	nc	10/21	nc	nc	nc	nc	nc
Adults	nc	10/21	nc	nc	nc	nc	<b>11/04</b>
Elapsed time (wks) SFTR Weir to WC Weir							
Grilse	nc	3	nc	nc	nc	nc	nc
Adults	nc	3	nc	nc	nc	nc	12